

**RESOLUTION NO. 2001-33
CONDITIONS OF APPROVAL - FINAL
SITE DEVELOPMENT PERMIT 2001-690
OMRI SIKLAI
APRIL 3, 2001**

GENERAL

1. The use of the subject property for commercial uses shall be in conformance with the approved exhibits and conditions of approval contained in Site Development Permit 2001-690, Conditional Use Permit 2001-056, Specific Plan 2001-052, and Environmental Assessment 2001-412, unless otherwise amended by the following conditions.
2. The applicant agrees to defend, indemnify, and hold harmless the City of La Quinta (the "City"), its agents, officers and employees from any claim, action or proceeding to attack, set aside, void, or annul the approval of this development application. The City shall have sole discretion in selecting its defense counsel.

The City shall promptly notify the applicant of any claim, action or proceeding and shall cooperate fully in the defense.

3. Prior to the issuance of a grading, construction or building permit, the applicant shall obtain permits and/or clearances from the following public agencies:

- C Fire Marshal
- C Public Works Department (Grading Permit, Improvement Permit)
- C Community Development Department
- C Riverside Co. Environmental Health Department
- C Desert Sands Unified School District
- C Coachella Valley Water District (CVWD)
- C Imperial Irrigation District (IID)
- C California Water Quality Control Board (CWQCB)

The applicant is responsible for any requirements of the permits or clearances from those jurisdictions. If the requirements include approval of improvement plans, applicant shall furnish proof of said approvals prior to obtaining City approval of the plans.

The applicant shall comply with applicable provisions of the City's NPDES stormwater discharge permit.

IMPROVEMENT PLANS

As used throughout these conditions of approval, professional titles such as "engineer," "surveyor," and "architect" refer to persons currently certified or licensed to practice their respective professions in the State of California.

4. Improvement plans shall be prepared by or under the direct supervision of qualified engineers and landscape architects, as appropriate. Plans shall be submitted on 24" x 36" media in the categories of "Rough Grading," "Precise Grading," "Streets & Drainage," and "Landscaping." Precise grading plans shall have signature blocks for Community Development Director and the Building Official. All other plans shall have signature blocks for the City Engineer. Plans are not approved for construction until they are signed.

"Streets and Drainage" plans shall normally include signals, sidewalks, bike paths, entry drives, gates, and parking lots. "Landscaping" plans shall normally include irrigation improvements, landscape lighting and entry monuments. "Precise Grading" plans shall normally include perimeter walls.

Plans for improvements not listed above shall be in formats approved by the City Engineer.

5. The City may maintain standard plans, details and/or construction notes for elements of construction. For a fee established by City resolution, the applicant may acquire standard plan and/or detail sheets from the City.
6. When final plans are approved by the City, the applicant shall furnish accurate AutoCad files of the complete, approved plans on storage media acceptable to the City Engineer. The files shall utilize standard AutoCad menu items so they may be fully retrieved into a basic AutoCad program. At the completion of construction and prior to final acceptance of improvements, the applicant shall update the files to reflect as-constructed conditions.

If the plans were not produced in AutoCad or a file format which can be converted to AutoCad, the City Engineer may accept raster-image files of the plans.

GRADING

7. If applicant proposes grading/fill operations that encroach on existing retention basins, applicant shall provide additional hydrology calculations proving the new retention basin configuration meets the hydrological requirements and the requirements of Engineering Bulletin #97-03.
8. Prior to issuance of a grading permit, the applicant shall furnish an approved grading plan prepared by a qualified engineer.
9. Slopes shall not exceed 5:1 within public rights of way and 3:1 in landscape areas outside the right of way unless otherwise approved by the City Engineer.
10. Prior to occupation of the project site for construction purposes, the applicant shall submit and receive approval of a fugitive dust control plan prepared in accordance with Chapter 6.16, LQMC. The Applicant shall furnish security, in a form acceptable to the city, in an amount sufficient to guarantee compliance with the provisions of the permit.
11. The applicant shall maintain graded, undeveloped land to prevent wind and water erosion of soils. The land shall be planted with interim landscaping or provided with other erosion control measures approved by the Community Development and Public Works Departments.
12. Prior to issuance of building permits, the applicant shall provide building pad certifications stamped and signed by qualified engineers or surveyors. For each pad, the certification shall list the approved elevation, the actual elevation, the difference between the two, if any, and pad compaction. The data shall be organized by lot number and listed cumulatively if submitted at different times.

DRAINAGE

13. Stormwater handling shall conform with the approved hydrology and drainage plan for Lake La Quinta. Nuisance water shall be retained on-site and disposed of in an approved manner.

UTILITIES

14. The applicant shall obtain the approval of the City Engineer for the location of all utility lines within the right of way and all above-ground utility structures including, but not limited to, traffic signal cabinets, electrical vaults, water valves, and telephone stands, to ensure optimum placement for practical and aesthetic purposes.
15. Utilities shall be installed prior to overlying hardscape. For installation of utilities in existing, improved streets, the applicant shall comply with trench restoration requirements maintained or required by the City Engineer. The applicant shall provide certified reports of trench compaction for approval of the City Engineer.

STREET AND TRAFFIC IMPROVEMENTS

16. Parking lot entry off Caleo Bay shall have a minimum width of 28-feet per Riverside County Standard Drawing 207.
17. The applicant may be required to extend improvements beyond development boundaries to ensure they safely integrate with existing improvements (e.g., grading; traffic control devices and transitions in alignment, elevation or dimensions of streets and sidewalks).
18. Improvements shall be designed and constructed in accordance with the LQMC, adopted standards, supplemental drawings and specifications, and as approved by the City Engineer. Improvement plans for streets, access gates and parking areas shall be stamped and signed by qualified engineers.
19. Knuckle turns and corner cut-backs shall conform with Riverside County Standard Drawings #801 and #805 respectively unless otherwise approved by the City Engineer.
20. The applicant shall design street pavement sections using Caltrans' design procedure (20-year life) and site-specific data for soil strength and anticipated traffic loading (including construction traffic). Minimum structural sections shall be as follows (or approved equivalents for alternate materials):

Residential & Parking Areas 3.0" a.c./4.50" c.a.b.

21. The City will conduct final inspections of homes and other habitable buildings only when the buildings have improved street and (if required) sidewalk access to publicly-maintained streets. The improvements shall include required traffic control devices, pavement markings and street name signs. If on-site streets are initially constructed with partial pavement thickness, the applicant shall complete the pavement prior to final inspections of the last ten percent of homes within the tract or when directed by the City, whichever comes first.

LANDSCAPING

22. Landscape areas shall have permanent irrigation improvements meeting the requirements of the City Engineer. Use of lawn shall be minimized with no lawn or spray irrigation within 18 inches of curbs along public streets.
23. Prior to issuance of building permits for the building authorized for this property, final landscape working drawings shall be approved by the Community Development Department. Compliance with the City Water Efficient Landscaping Ordinance shall be included. Tree caliper sizes per industry standards shall be specified.
24. Prior to issuance of building permits for the building authorized for this property, final working drawings shall be approved by the Community Development Department.
25. Revise the Landscape plans to include planter areas adjacent to the building on the north and east sides.

QUALITY ASSURANCE

26. The applicant shall employ construction quality-assurance measures which meet the approval of the City Engineer.
27. The applicant shall employ or retain qualified civil engineers, geotechnical engineers, surveyors, or other appropriate professionals to provide sufficient construction supervision to be able to furnish and sign accurate record drawings.
28. The applicant shall arrange and bear the cost of measurement, sampling and testing procedures not included in the City's inspection program but required by

the City as evidence that construction materials and methods comply with plans, specifications and applicable regulations.

29. Upon completion of construction, the applicant shall furnish the City reproducible record drawings of all improvement plans which were signed by the City. Each sheet shall be clearly marked "Record Drawings," "As-Built" or "As-Constructed" and shall be stamped and signed by the engineer or surveyor certifying to the accuracy of the drawings. The applicant shall revise the CAD or raster-image files previously submitted to the City to reflect as-constructed conditions.

MAINTENANCE

30. The applicant shall make provisions for continuous, perpetual maintenance of all on-site improvements, perimeter landscaping, access drives, and sidewalks. The applicant shall maintain required public improvements until expressly released from this responsibility by the appropriate public agency.

FEES AND DEPOSITS

31. The applicant shall pay the City's established fees for plan checking and construction inspection. Fee amounts shall be those in effect when the applicant makes application for plan checking and permits.
32. Within three days after City Council approval, a check for \$78.00, made out to the County of Riverside, shall be submitted to the Community Development Department for filing of the required Notice of Determination.

MISCELLANEOUS

33. A 3'-6" decorative screen wall shall be provided around the perimeters of the parking lot portions of the site on the south, east, and west if the Community Development Department determines during final plan check that the landscape mounding and planting will not be adequate to provide screening of vehicle headlights.
34. Prior to issuance of building permits, the project proponent shall submit, for review and approval, a valet parking plan, which commits the proponent to valet

Resolution No. 2001-33
Conditions of Approval - Final
Site Development Permit 2001-690
Omri Siklai
April 3, 2001
Page 7

parking during all times when the restaurant is open. Failure to maintain a valet parking program shall result in revocation of the use permit for this project.

SIGNS

36. A sign program, complying with Zoning Code Chapter 9.160, providing details for all signs shall be submitted to the Community Development Department for approval by the Planning Commission, prior to issuance of the building permit.

LIGHTING

37. A detailed parking lot lighting plan complying with Zoning Code Section 9.100.150, including fixtures, their locations, and a photometrics study shall be submitted to and approved by the Community Development Department prior to issuance of the building permit.

ENVIRONMENTAL

38. All requirements of the Mitigation Monitoring Plan for Environmental Assessment 2001-412 shall be met as required.

FIRE MARSHAL

39. All requirements of the Fire Marshal shall be met, as determined during plan check prior to issuance of a building permit.